



**NewAge**

# Gym Floor Maintenance



## 1. Preventative Maintenance

- Place proper walk-off mats in doorways to keep out dirt and grit.
- Place felt pads under legs of tables and chairs that may be used on hardwood floors.
- Avoid excess moisture from tracked in water, leaks, or over-maintenance such as wet mopping.



## 2. Daily Maintenance

- Dry mop daily with a tack towel or dusting pad to remove dust, grit, or other abrasive particles. **DO NOT USE ANY DUST MOP TREATMENTS.** Replace or wash towels or pads as necessary.
- Damp mop all spills or spots with a tack towel or cleaning pad dampened with NewAge Replay Maintenance Cleaner (diluted at 1:8 ratio).



## 3. Periodic Maintenance

- Use NewAge Replay Maintenance Cleaner solution (diluted at 1:8 ratio) with a tack towel or cleaning pad to tack the floor. Be sure to rinse or wash cleaning pad as necessary. Continued use of a soiled tack towel will cause streaking.
- *Using a buffer machine* – Shoe marks and scuffs can be removed by using a white pad and buffer (175 rpm) with NewAge Replay Maintenance Cleaner (diluted at 1:8 ratio). Lightly mist the floor with the solution as you buff. Periodically clean or replace the white pad. Continued use of soiled pads will cause streaking.
- *Using an Autoscrubber* – Use a solution of Replay Maintenance Cleaner and water diluted at 1:8 with a white pad. Make sure machine is properly adjusted to remove all cleaner immediately. No moisture should remain on the floor. Wipe up any remaining moisture with a tack towel on cleaning pad. **EXCESS MOISTURE CAN DAMAGE THE WOOD.**
- Make sure all residue from the white pad buffing/cleaning procedure is removed from floor surface; immediately tack the surface with a clean tack towel or cleaning pad.

