Version 1.0		Revision Date 05/01/2015 Print Date 05/30/201	
SECTION 1. PRODUCT AND COM	1PA		
Material name	:	SSS® Lemon Oil Furniture Polish	
Material number	:	A00135	
Manufacturer or supplier's d	eta	ils	
Company	:	Triple S	
Address	:	2 Executive Park Drive Billerica, MA 01862	
Telephone	:	978-667-7900	
Emergency telephone nu	ımk	pers	
For SDS Information		: 978-667-7900	
For a Medical Emergency		: 1-888-779-1339	
For a Transportation Emergency		: 1-888-779-1339	

(#05151)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

SAFETY DATA SHEET

SSS® LEMON OIL FURNITURE POLISH

Appearance	Aerosol containing a liquefied gas
Colour	light cream
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Skin irritation Skin sensitisation	 Category 2 Liquefied gas Category 2 Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H317 May cause an allergic skin reaction.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.

		(#03131)
/ersion 1.0	Revision Date 05/01/2015	Print Date 05/30/2015
	P272 Contaminated work clothin the workplace. P280 Wear protective gloves.	ng should not be allowed out of
	Response: P302 + P352 IF ON SKIN: Wash P333 + P313 If skin irritation or r advice/ attention.	
	P362 Take off contaminated clot Storage: P410 + P412 Protect from sunlig	C C
	temperatures exceeding 50 °C/ · Disposal:	
	P501 Dispose of contents/contai regulation.	iner in accordance with local
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as probal human carcinogen by IARC.	
ACGIH	No component of this product prese equal to 0.1% is identified as a carc carcinogen by ACGIH.	
OSHA	No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.	5
NTP	No component of this product prese equal to 0.1% is identified as a know by NTP.	

(#05151)

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
propane	74-98-6	>= 5 - < 10
butane	106-97-8	>= 1 - < 5
Stoddard solvent	8052-41-3	>= 1 - < 5
citral	5392-40-5	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician.

SSS® LEMON OIL FUF	NITURE POLISH	(#05151)
Version 1.0	Revision Date 05/01/2015	Print Date 05/30/2015
	Wash off immediately with plenty of minutes. If on clothes, remove clothes.	of water for at least 15
In case of eye contact	: Remove contact lenses. Flush eyes with water at least 15 r attention if eye irritation develops	
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless d physician or poison control center.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Silicon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	 Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Version 1.0

Print Date 05/30/2015

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0

Revision Date 05/01/2015 Print Date 05/30/2015 Version 1.0 8052-41-3 ACGIH Stoddard solvent TWA 100 ppm TWA 350 mg/m3 NIOSH REL 1,800 mg/m3 NIOSH REL С TWA 500 ppm OSHA Z-1 2,900 mg/m3 TWA 100 ppm OSHA P0 525 mg/m3

Personal protective equipment Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Hand protection Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Eye protection : Safety glasses Skin and body protection : impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Aerosol containing a liquefied gas
Colour	:	light cream
Odour	:	characteristic
Odour Threshold	:	no data available
рН	:	no data available
Melting point/freezing point	:	no data available
Boiling point	:	no data available
Flash point	:	no data available
Evaporation rate	:	no data available
Flammability (solid, gas)	:	Extremely flammable aerosol.
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	0.938 g/cm3
Solubility(ies)		

(#05151)

Version 1.0	Revision Date 05/01/2015	Print Date 05/30/2015
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 15.00 kJ/g	

(#05151)

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.	
reactions	Vapours may form explosive mixture with air.	
Conditions to avoid	: Heat, flames and sparks.	
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:	
Distillates (petroleum), hydro Acute oral toxicity	otreated light: : LD50 rat: > 5,000 mg/kg
Acute inhalation toxicity	: LC50 rat: > 4.6 mg/l Exposure time: 6 h
Acute dermal toxicity	: LD50 rat: > 2,000 mg/kg
propane: Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l Exposure time: 2 h
	LC50 rat: 658 mg/l Exposure time: 4 h

	IITURE POLISH	(#05151)
Version 1.0	Revision Date 05/01/2015	Print Date 05/30/2015
	LC50 rat: 1,355 mg/l	
butane:		
Acute inhalation toxicity	: LC50 mouse: 1,237 mg/l	
	Exposure time: 2 h	
	LC50 rat: 1,355 mg/l	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin irrita	tion and/or dermatitis.	
Serious eye damage/eye irritation		
Product:		
Remarks: Vapours may cause	irritation to the eyes, respiratory syste	em and the skin.
Respiratory or skin sensitisation		
Product:		
Remarks: Causes sensitisation	1.	
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
Distillates (petroleum), hydro	treated light:	
Distillates (petroleum), hydro propane: butane:	treated light:	
Distillates (petroleum), hydrof propane: butane: Stoddard solvent:	treated light:	
Distillates (petroleum), hydrot propane: butane: Stoddard solvent: citral:	treated light:	
Distillates (petroleum), hydrof propane: butane: Stoddard solvent:	treated light:	
Distillates (petroleum), hydrof propane: butane: Stoddard solvent: citral: STOT - single exposure	treated light:	
Distillates (petroleum), hydrof propane: butane: Stoddard solvent: citral: STOT - single exposure no data available	treated light:	
Distillates (petroleum), hydrod propane: butane: Stoddard solvent: citral: STOT - single exposure no data available STOT - repeated exposure	treated light:	
Distillates (petroleum), hydrof propane: butane: Stoddard solvent: citral: STOT - single exposure no data available STOT - repeated exposure no data available	treated light:	
Distillates (petroleum), hydrof propane: butane: Stoddard solvent: citral: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity	treated light:	
Distillates (petroleum), hydrod propane: butane: Stoddard solvent: citral: STOT - single exposure no data available STOT - repeated exposure no data available Aspiration toxicity no data available	treated light:	

Version 1.0

Print Date 05/30/2015

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available
Partition coefficient: n- octanol/water citral :	: Pow: 2.89
Partition coefficient: n- octanol/water	: Pow: 2.76
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.

with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological
information: An environmental hazard cannot be excluded in the
event of unprofessional handling or disposal., Harmful to
aquatic life with long lasting effects.

<u>Components:</u> Distillates (petroleum), hydrotreated light :

Additional ecological	: no data available
information	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Version 1.0	Revision Date 05/01/2015	Print Date 05/30/2015
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on 	i, the empty drum.

(#05151)

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY
Transportation Regulation: IMDG (Vessel):
UN1950, AEROSOLS, 2.1, - Limited quantity
Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity
Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity
Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
xylenes	1330-20-7	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 311/312 Hazards	: Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard
SARA 302	: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SS® LEMON OIL FURNITURE POLISH (#0		
ersion 1.0	Revision Date 05/01/2015	Print Date 05/30/2015
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
	·	
•	his product are reported in the following inv	ventories:
TSCA	his product are reported in the following inv On TSCA Inventory	
•	his product are reported in the following inv	
TSCA	his product are reported in the following inv On TSCA Inventory This product contains one or several compo Canadian DSL nor NDSL.	
TSCA DSL	his product are reported in the following inv On TSCA Inventory This product contains one or several compo	
TSCA DSL AICS	his product are reported in the following inv On TSCA Inventory This product contains one or several compo Canadian DSL nor NDSL. Not in compliance with the inventory	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms	
Signal word	: Warning:
Hazard statements	 Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction.
Precautionary statements	
	 Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.
	Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Version 1.0

Revision Date 05/01/2015

Print Date 05/30/2015

(#05151)

Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.