SSS Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SSS Foam Fresh Antimicrobial Hand Soap

Product code : 34082; 34086

Manufacturer or supplier's details

Company name of supplier : TRIPLE S

Address : 2 Executive Park Drive

Billerica, MA 01862

Telephone 978-667-7900

Emergency telephone 888--779-1339

E-mail address of person responsible for the SDS

: info@triple-s.com

Recommended use of the chemical and restrictions on use

Recommended use : Antibacterial Soap

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

Prepared by : info@triple-s.com

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

DANGER				
Appearance	liquid			
Color	clear, amber, brown			
Odor	fruity			
Hazard Summary	Combustible liquid and vapor.			

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

WHMIS Regulatory status

: This product, material or substance is a WHMIS controlled product per Sections 33 - 66, Part IV of the CPR.

Potential Health Effects
Inhalation

: No significant effects expected from a single short-term exposure

Skin : No significant irritation expected from a single short-term

exposure.

Eyes : Causes eye burns.

May cause permanent eye injury.

Ingestion : No significant effects expected from a single short-term

exposure.

Aggravated Medical

Condition

: None known.

Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH Confirmed animal carcinogen with unknown relevance to hu-

mans

Ethanol 64-17-5

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

QSC Foam Fresh Antimicrobial Hand Soap

Version Revision Date: MSDS Number: Date of last issue: 03/19/2015 2.0 04/08/2015 31375-00005 Date of first issue: 12/11/2014

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

: Carbon oxides Sulfur oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.

Follow safe handling advice and personal protective

equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Non-sparking tools should be used. Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust

ventilation.

Advice on safe handling : Avoid inhalation of vapor or mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents
Organic peroxides
Flammable solids
Pyrophoric liquids
Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	CA AB OEL
		STEL	1,000 ppm	CA BC OEL
		TWAEV	1,000 ppm 1,880 mg/m3	CA QC OEL
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA (aero- sol)	10 mg/m3	CA ON OEL
		TWA (Va- pour and aerosols)	50 ppm 155 mg/m3	CA ON OEL

Engineering measures

Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust

ventilation.

Use with local exhaust ventilation.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Impervious gloves

Material : Flame retardant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, amber, brown

Odor : fruity

Odor Threshold : No data available

pH : 4.5 - 8.5

Melting point/freezing point : No data available

Initial boiling point and boiling : 83 °C

QSC Foam Fresh Antimicrobial Hand Soap

Version Revision Date: MSDS Number: Date of last issue: 03/19/2015 2.0 04/08/2015 31375-00005 Date of first issue: 12/11/2014

range

Flash point : 58.9 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 1.00 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 10 - 20 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Flammable liquid and vapor.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Ingredients:

Ethanol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Acute oral toxicity : LD50 (Rat): 4,100 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg

Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)

Remarks: Based on data from similar materials

Propylene glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l, > 51091 ppm

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Ingredients:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

QSC Foam Fresh Antimicrobial Hand Soap

Version Revision Date: MSDS Number: Date of last issue: 03/19/2015 2.0 04/08/2015 31375-00005 Date of first issue: 12/11/2014

Result: No skin irritation

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

Propylene glycol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Causes eye burns.

Ingredients:

Ethanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit

Result: Irreversible effects on the eve

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Species: Rabbit

Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Propylene glycol:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

Species: Mouse Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

: Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Remarks: Based on data from similar materials

QSC Foam Fresh Antimicrobial Hand Soap

Version **Revision Date:** MSDS Number: Date of last issue: 03/19/2015 04/08/2015 31375-00005 Date of first issue: 12/11/2014 2.0

Ammonium dodecyl sulphate:

Genotoxicity in vitro Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

: Test Type: Mammalian erythrocyte micronucleus test (in vivo Genotoxicity in vivo

> cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Ammonium dodecyl sulphate:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Result: negative

Reproductive toxicity

Not classified based on available information.

Ingredients:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

QSC Foam Fresh Antimicrobial Hand Soap

Version **Revision Date:** MSDS Number: Date of last issue: 03/19/2015 04/08/2015 31375-00005 Date of first issue: 12/11/2014 2.0

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Effects on fetal development Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Effects on fertility Species: Mouse

Application Route: Ingestion

Result: negative

Test Type: Embryo-fetal development Effects on fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rat

NOAEL: > 225 mg/kg Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

Propylene glycol:

Species: Rat

NOAEL: 1,700 mg/kg Application Route: Ingestion

Exposure time: 2 y

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Ethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Toxicity to fish

: LC50 (Danio rerio (zebra fish)): 7.1 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 7.4 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic

toxicity)

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 204

Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.27 mg/l

QSC Foam Fresh Antimicrobial Hand Soap

Version Revision Date: MSDS Number: Date of last issue: 03/19/2015 2.0 04/08/2015 31375-00005 Date of first issue: 12/11/2014

aquatic invertebrates Exposure time: 21 d

(Chronic toxicity) Remarks: Based on data from similar materials

Toxicity to bacteria : EC10 (Pseudomonas putida): > 10 g/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 4.7 mg/l

Exposure time: 48 h

Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materials

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

uatic invertebrates Exposure time: 7 d

Remarks: Based on data from similar materials

NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l

Toxicity to bacteria : EC0 (Pseudomonas putida): 409 mg/l

Exposure time: 16 h Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Propylene glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: Chronic Toxicity Value: 2,500 mg/l

Exposure time: 30 d

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l

Exposure time: 7 d

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

Toxicity to bacteria : NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

Persistence and degradability

Ingredients:

Ethanol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Method: Directive 67/548/EEC Annex V, C.4.C. Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 75.7 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

Propylene glycol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Bioaccumulative potential

Ingredients:

Ethanol:

Partition coefficient: n-

: log Pow: -0.35

octanol/water

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Partition coefficient: n- : log Pow: 0.3

octanol/water

Ammonium dodecyl sulphate:

Partition coefficient: n- : log Pow: 0.8 - 0.91

octanol/water

Propylene glycol:

Partition coefficient: n- : log Pow: -1.07

octanol/water

Mobility in soil

No data available

QSC Foam Fresh Antimicrobial Hand Soap

Version **Revision Date:** MSDS Number: Date of last issue: 03/19/2015 04/08/2015 31375-00005 Date of first issue: 12/11/2014 2.0

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : B3: Combustible Liquid

E: Corrosive Material

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

QSC Foam Fresh Antimicrobial Hand Soap

 Version
 Revision Date:
 MSDS Number:
 Date of last issue: 03/19/2015

 2.0
 04/08/2015
 31375-00005
 Date of first issue: 12/11/2014

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and safe-

ty, Schedule 1, Part 1: Permissible exposure values for air-

borne contaminants

ACGIH / STEL : Short-term exposure limit

CA AB OEL / TWA : 8-hour Occupational exposure limit

CA BC OEL / STEL : short-term exposure limit

CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

Sources of key data used to compile the Material Safety

to : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8