

SSS FOAM DISINFECTANT CLEANER

Features

- Hospital-Type, Quat-Based Disinfectant Cleaner & Deodorizer
- Kills Staph, Salmonella, Pseudomonas and HIV-1 (AIDS virus)* on hard surfaces when used as directed
- High Foaming Action with Excellent Cleaning Power
- 360° Valve Allows Can to Spray Upside Down
- *Effective Against Antibiotic Resistant Strains VRE, VISA, VRSA, MRSA, & CA-MRSA

Description

This is a concentrated general purpose cleaner which cleans, disinfects, and deodorizes. It kills Staphylococcus aureus (ATCC 6538), Salmonella enterica (ATCC 10708), Pseudomonas aeruginosa (ATCC 15442), HIV-1 (AIDS virus)*, Vancomycin Resistant Enterococcus faecalis (VRE), (ATCC 51575), Vancomycin Intermediate Staphylococcus aureus (VISA), (HIP 5836), Vancomycin Resistant Staphylococcus aureus (VRSA), (NARSA VRS1), Methicillin Resistant Staphylococcus aureus (MRSA), (ATCC 33592), Community Associated Methicillin Resistant Staphylococcus aureus (CA-MRSA), (NARSA NRS123) (Genotype USA400) on hard surfaces when used as directed. This is a foaming cleaner that must be used on glazed tile, glazed porcelain, glazed ceramics, metal, stainless steel, bathtubs, hampers, tables, chairs, and walls. For use in hospitals, schools, hotels, motels, offices, restaurants, locker and rest rooms. Surfaces must be cleaned and disinfected on a regular basis. All food contact surfaces must be rinsed with potable water before reuse.

TECHNICAL INFO:		
Physical Properties	Appearance	Spray Foam
	Color	White
	Odor/Fragrance	Fresh/Clean
	pH	12.0-12.5
	Spray Pattern	Oval
Environmental Profile	Glycol Ether Content	Yes (E Series)
	Biodegradability	No
	Chlorinated Solvents	No
	Recyclable Packaging	Yes
Regulatory Compliance	% VOC By Weight	7.0
	VOC Restricted Regions	None
	Food Processing Suitability	C1
	EPA #	10807-21
	Flammability per CPSC	NCAF
	NFPA Code 30B Storage Level	1



Packages Available:



*KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOODY/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling on inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS) Contact Time: Leave surfaces wet for 10 minutes at 25°C.