SSS Flying Insect Spray (05008)

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: SSS Flying Insect Spray (05008)

Product Number: 05008

Product Use: Insecticide.

Manufacturer/Supplier: Triple S

2 Executive Park Dr. Billerica, MA 01862

Phone Number: (978) 667-7900

D.O.T. Emergency Phone: 1-(888) 779-1339

Date of Preparation: April 11, 2011 Revision #: 2.0

Section 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. CONTENTS UNDER PRESSURE. CONTAINER MAY EXPLODE IF HEATED.

Potential Health Effects: See Section 11 for more information.

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Eye: May cause eye irritation.

Skin: May cause skin irritation, allergic reaction.

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if

swallowed. May cause nausea, dizziness, loss of muscle coordination.

Inhalation: May cause headache, dizziness, asphyzia, anesthetic effects, nausea and

respiratory tract irritation. This product may be aspirated into the lungs and

HMIS: See Section 15

cause chemical pneumonitis.

Chronic Effects: Prolonged or repeated contact may cause eye and respiratory tract irritation, dizziness, headaches, drowsiness and central nervous system effects.

Signs and Symptoms: Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. Handling can cause redness, edema, drying, defatting and cracking of the skin. Vapours may cause drowsiness and dizziness, abdominal pain, burning sensation, shock or collapse.

Medical Conditions Aggravated By Exposure: Asthma. Allergies. Existing eye, skin or upper respiratory conditions.

Target Organs: Skin, eyes, gastrointestinal tract, respiratory system.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Environmental Effects: May cause long-term adverse effects in the aquatic environment See Section 12 for more information.

SSS Flying Insect Spray (05008)

Saction 2:	COMPOSITION	/ INICODMATION	ON INGREDIENTS

Ingredient	CAS#	Wt. %
Isobutane	75-28-5	10 - 30
Distillates (petroleum), hydrotreated light	64742-47-8	5 - 10
Propane	74-98-6	1 - 5
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide	113-48-4	0.5 - 1.5
Piperonyl Butoxide	51-03-6	0.1 - 1
Prallethrin	23031-36-9	0.1 - 1

Section 4: FIRST AID MEASURES

Eye Contact: In case of contact, immediately flush eyes with plenty of water. If easy to do,

remove contact lenses, if worn.

Skin Contact: In case of contact, immediately flush skin with plenty of water. Remove

contaminated clothing and shoes. Wash clothing before reuse. Call a physician

if irritation develops and persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen.

Ingestion: Immediately contact poison control center or doctor for treatment advice. If

swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately (show the label or MSDS where possible).

Note to Physicians: Symptoms may not appear immediately.

Section 5: FIRE FIGHTING MEASURES

Flammability: Not flammable by OSHA criteria.

Means of Extinction:

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Not available.

Products of Combustion: May include, and are not limited to: oxides of carbon, oxides of

nitrogen.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

Protection of Firefighters: Containers may explode when heated. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition. Ruptured cylinders may rocket.

Environmental Precautions: Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). This material is a water pollutant. Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

SSS Flying Insect Spray (05008)

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Clean-Up: Vacuum or sweep material and place in a disposal container. Allow gas to dissipate harmlessly into the atmosphere.

Other Information: Not available.

Section 7: HANDLING AND STORAGE

Handling:

Keep away from sources of ignition. No smoking. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking.

Storage:

Keep out of the reach of children. Keep container in a well-ventilated place. Do not store at temperatures above 49 $^{\circ}$ C / 120 $^{\circ}$ F.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Everagina Limita

Exposure Guidelines

	Exposure Limits		
Ingredient	OSHA-PEL	ACGIH-TLV	
Isobutane	Not available.	1000 ppm	
Distillates (petroleum), hydrotreated light	100 ppm	200 mg/m ³	
Propane	1000 ppm	1000 ppm	
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide	Not available.	Not available.	
Piperonyl Butoxide	Not available.	Not available.	
Prallethrin	Not available.	Not available.	

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment: HMIS: See Section 15

Eye/Face Protection: Wear eye/face protection.

Hand Protection: Wear suitable gloves.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations: Handle according to established industrial hygiene and safety practices.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Opaque.

Color: White to off white.

Odour: Slight.

Odour Threshold: Not available.

Physical State: Gas/Pressurized Liquid.

pH: Not applicable.

SSS Flying Insect Spray (05008)

Viscosity:

Freezing Point:

Boiling Point:

Flash Point:

Evaporation Rate:

Lower Flammability Limit:

Not available.

Not available.

Not available.

Not available.

Not available.

Vapor Pressure: PSIG @ 70°F (Aerosols): Max. 65

Vapor Density: Not Available.

Specific Gravity: 0.99 (Liquid Concentrate)

Solubility in Water: Dispersible.

Coefficient of Water/Oil Distribution: Not available.

Auto-ignition Temperature: Not available.

Percent Volatile, wt. %: Not available.

VOC content, wt. %: 24.7% (US federal/CARB/OTC/LADCO)

VOC content, g/L: Not available.

Section 10: STABILITY AND REACTIVITY

Stability: Stable under normal storage conditions. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn. Keep in a cool place.

Conditions of Reactivity: Heat. Incompatible materials.

Incompatible Materials: Strong oxidizers. Strong acids. Bases.

Hazardous Decomposition Products: May include, and are not limited to: oxides of carbon,

oxides of nitrogen.

Possibility of Hazardous Reactions: No dangerous reaction known under conditions of normal use.

Section 11: TOXICOLOGY INFORMATION

EFFECTS OF ACUTE EXPOSURE

Component Analysis

Ingredient	LD ₅₀ (oral)	LC ₅₀
Isobutane	Not available.	658 mg/L 4hr, rat
Distillates (petroleum), hydrotreated light	> 5000 mg/kg, rat	> 5.2 mg/L 4hr, rat
Propane	Not available.	658 mg/L 4hr, rat
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-		
dicarboximide	2800 mg/kg, rat	Not available.
Piperonyl Butoxide	6150 mg/kg, rat	Not available.
Prallethrin	460 mg/kg, rat	> 848 µg/m³, rat

Eye: May cause eye irritation. Symptoms may include discomfort or pain, excess

blinking and tear production, with marked redness and swelling of the conjunctiva.

Skin: May cause skin irritation. Symptoms may include redness, edema, drying,

defatting and cracking of the skin.

SSS Flying Insect Spray (05008)

Ingestion: Not a normal route of exposure. Harmful: may cause lung damage if swallowed.

Abdominal pain. Burning sensation. Shock or collapse. May cause burning of

mouth, throat, and esophagus.

Inhalation: May cause respiratory tract irritation. May cause asphyxiation. This product may

be aspirated into the lungs and cause chemical pneumonitis. Burning sensation.

Sore throat. Cough. Laboured breathing. Shortness of breath.

EFFECTS OF CHRONIC EXPOSURE

Target Organs: Not available.

Chronic Effects: Not hazardous by OSHA criteria. **Carcinogenicity:** Not hazardous by OSHA criteria.

Ingredient Chemical Listed as Carcinogen or Potential Carcinogen *

Isobutane Not listed.

Distillates (petroleum), hydrotreated light I -3, G-A3

Propane Not listed.

N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-

dicarboximideNot listed.Piperonyl ButoxideI-3PrallethrinNot listed.

Mutagenicity: Not hazardous by OSHA criteria.

Reproductive Effects: Not hazardous by OSHA criteria.

Developmental Effects:

Teratogenicity: Not hazardous by OSHA criteria.

Embryotoxicity: Not hazardous by OSHA criteria.

Respiratory Sensitization: Not hazardous by OSHA criteria.

Skin Sensitization: Not hazardous by OSHA criteria. **Toxicologically Synergistic Materials:** Not available.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: May cause long-term adverse effects in the aquatic environment.

Persistence / Degradability: Not available.

Bioaccumulation / Accumulation: Not available.

Mobility in Environment: Not available.

Section 13: DISPOSAL CONSIDERATIONS

Disposal Instructions:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations. Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.

Section 14: TRANSPORTATION INFORMATION

DOT Classification

ORM-D

^{*} See Section 15 for more information.

SSS Flying Insect Spray (05008)

Section 15: REGULATORY INFORMATION

Federal Regulations

US: MSDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200).

SARA Title III

Ingredient	Section	Section		
	302 (EHS)	304 EHS	CERCLA	Section
	TPQ (lbs.)	RQ (lbs.)	RQ (lbs.)	313
Isobutane	Not listed.	Not listed.	Not listed.	Not listed.
Distillates (petroleum), hydrotreated light	Not listed.	Not listed.	Not listed.	Not listed.
Propane	Not listed.	Not listed.	Not listed.	Not listed.
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-				
2,3-dicarboximide	Not listed.	Not listed.	Not listed.	Not listed.
Piperonyl Butoxide	Not listed.	Not listed.	Not listed.	313
Prallethrin	Not listed.	Not listed.	Not listed.	Not listed.

State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories

Ingredient	USA	
•	TSCA	
Isobutane	Yes.	
Distillates (petroleum), hydrotreated light	Yes.	
Propane	Yes.	
N-(2-ethylhexyl)-8,9,10-trinorborn-5-ene-2,3-dicarboximide	Yes.	
Piperonyl Butoxide	Yes.	
Prallethrin	No.	

HMIS - Hazardous Materials Identification System

Health - 1	Flammability - 1	Physical Hazard - 0	PPE – B
------------	------------------	---------------------	----------------

NFPA - National Fire Protection Association:

Health - 1 Fire - 1 Reactivity - 0

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

SSS Flying Insect Spray (05008)

NTP (N) National Toxicology Program.

- 1 Known to be carcinogens.
- 2 Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Disclaimer:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Prepared for: Triple S

Phone: (978) 667-7900